



# 「風克」 幫助維護呼吸系統與免疫系統\*

針對的人體系統：全面保健、呼吸系統、免疫系統\*

呼吸，即便是一個簡單的行為，也需要很多能量。我們每分鐘會不假思索地呼吸15至25次。有數以百萬的美國人都會在過敏原或其它自然條件的影響下遇到呼吸障礙的問題。「風克」中結合了兩種最受珍視的中草藥：人參和靈芝，同時又將紅棗、甘草、薄荷及菊花融入到了這項保健呼吸系統的混合配方裡。這種獨一無二的配製是專為幫您維護呼吸系統和健康生活方式而設計。\*



## 主要功效：

1. 日常維護呼吸系統\*
2. 幫助維護免疫系統\*
3. 幫助全面保健\*

## 更多功效：

1. 有助於維護人體支氣管通道正常的排毒和清理進程\*
2. 有助於減輕肺部炎症\*
3. 有助於保健心血管/維持肺部氣體交換\*



吉林人參



紅棗



甘草根



靈芝



薄荷葉



菊花



## Supplement Facts

Serving Size: 2 Capsules  
Servings Per Container: 50

|                                                             | Amount<br>Per Serving | % Daily<br>Value |
|-------------------------------------------------------------|-----------------------|------------------|
| Respiratory Wellness Blend* 1000 mg                         |                       |                  |
| Ginseng ( <i>Panax ginseng</i> ) Root                       |                       | †                |
| Chinese Red Date<br>( <i>Ziziphus jujube</i> ) Fruit        |                       | †                |
| Licorice ( <i>Glycyrrhiza glabra</i> ) Root                 |                       | †                |
| Reishi<br>( <i>Ganoderma lucidum</i> ) Mushroom             |                       | †                |
| Peppermint<br>( <i>Mentha x piperita</i> ) Leaf             |                       | †                |
| Chrysanthemum ( <i>Dendranthema x grandiflorum</i> ) Flower |                       | †                |

† Daily Value not established.

Plant Fiber Capsules

100粒 | 貨號：20045





# 「風克」 幫助維護呼吸系統與免疫系統\*

## 產品成分的科學依據



被人們譽為“百草之王”的人參，是一種需經歷漫長生長期後才能採收的珍稀植物，它的生長時間至少需要6-8年。在古代，人們篤信人參是泥土的精華結晶成了人的形狀，所以，他們認為人參具有超自然的能力。人參生長在全球各地，但只有寥寥幾個地區才出產高品質的人參。如今，人參的用途多種多樣，而「風克」的保健配方中加入了人參，則有助於維護呼吸系統與免疫系統。\*



紅棗 - 紅棗是人類最好的保健食品之一，一粒小小的紅棗中含有很多營養。紅棗在中國的種植史超過3000年。棗是棗樹上生長的成熟果實，它們可分成三類：紅棗、黑棗和蜜棗，其中紅棗是最常用的一種。研究證實，紅棗有助於維護人體的肺臟並維持含氧水平。\*



甘草作為食物和滋補草藥已被使用了數千年。許多最古老、最受尊崇的本草著作 - 包括「神農本草經」中，都記載了甘草的用途。傳統中草藥師經常使用甘草來維護呼吸系統。\*



靈芝草或靈芝 - 中國人高度重視這種有趣的真菌，以至于許多人仍然相信它蘊含著治愈性的精華。其實在中國文化中，人們對靈芝的高度推崇近乎於尊崇人參。研究證實，靈芝有助於維護肺部與呼吸系統。\*



幾個世紀以來，中草藥師一直使用薄荷的清涼綠葉來維護呼吸系統。薄荷是用於烹飪和本草製品的最古老草藥之一。\*



菊花具有極好的清熱消炎作用，它的每個部分都可食用。菊花嫩葉的味道濃郁，可用來給蔬菜調味或做裝飾。傳統上，菊花被用來幫助緩解咽喉痛。\*





# 「風克」 幫助維護呼吸系統與免疫系統\*

## 問與答

**問** 為什麼我應該服用「風克」？

**答** 呼吸系統的作用在於保護身體免受污染物和空氣中毒素的影響。以保健性植物成分配製而成的「風克」，有益於您的呼吸系統。這個以營養免疫學為基礎的協調配方，能夠維護人體的呼吸系統和免疫系統。\*

**問** 為什麼「風克」和「愛特」適合搭配使用？

**答** 「風克」配方的主要成分能維護呼吸系統，也能為免疫系統提供重要的養護。「風克」的成分包括人參、紅棗、靈芝、薄荷與甘草，這些成分協調作用，有助於促進支氣管通道的排毒和清理進程。\*

「愛特」是一項很適合跟「風克」搭配使用的產品。同時使用它們能更好地維護淋巴系統、免疫系統以及全面保健。\*

**問** 使用這項產品多久後我能感受到其效益？

**答** 請注意，我們的產品並不是藥物，也不是藥物的替代品，它們不可用來治療、緩解或預防疾病。我們產品的成分都是保健性的食物，這些產品所帶來的改變是循序漸進的，但卻是安全且效果顯著的，而且不會產生任何副作用。作為健康養生的一種方式，您所期待的改變也正是循序漸進的。我們希望您在使用丞燕產品的同時，也努力遵循營養免疫學所倡導的四項基本的保健原則。這些原則鼓勵人們通過做到以下幾點來改進自己的生活方式：（1）選擇營養均衡的保健性食物，（2）保持積極樂觀的心態，（3）堅持每天運動，（4）保證充足的睡眠。

**問** 這個產品會跟我服用的其它藥物相互作用嗎？如果我正在妊娠期、哺乳期，或有什麼其它的健康問題，我還能服用這個產品嗎？

**答** 雖然這些產品所含的都是天然的保健性植物成分，但如果您的飲食和生活中有任何改變，在使用產品前都請先諮詢一下您的醫生。假如您正在妊娠期、哺乳期，或有任何的健康問題，我們都建議您在使用這些產品之前，先諮詢一下專業保健人員。





# 「風克」 幫助維護呼吸系統與免疫系統\*

## 參考資料

- Bao, T., Gubili, J. (2018). "Reishi Mushroom." ASCOPOST. Retrieved from: <https://ascopost.com/issues/august-10-2018/reishi-mushroom/>
- Barbalho, S., Machado, F., Oshiiwa, M., Abreu, M., Guiger, E., Tomazela, P., Goulart, R. (2011). "Investigation of the effects of peppermint (*Mentha piperita*) on the biochemical and anthropometric profile of university students." *Food Science and Technology (Campinas)*;31:584-588.
- Bensky, D., Clavey, S., Stöger, E. (2004). *Chinese Herbal Medicine: Materia Medica*. Seattle, WA: Eastland Press.
- Blumenthal, M., Goldberg, A. and Brinckmann, J. (2000) *Herbal medicine: Expanded commission E monographs*. Integrative Medicine Communications, Newton.
- Cao, Q.Z., Lin, Z.B. (2004). "Antitumor and anti-angiogenic activity of *Ganoderma lucidum* polysaccharides peptide." *Acta Pharmacologica Sinica*;25(6):833-838.
- Chen, Jau-Fei, PhD. (2015). *Nutrition. Immunity. Longevity*. Chen, Jau-Fei, PhD. (2004). *Enjoying Health & Longevity with Nutritional Immunology*. Chen, Jau-Fei, PhD. (2000). *Nutritional Immunology*.
- Chevallier, A. (1996). *Encyclopedia of Medicinal Plants*. Readers Digest Association, New York.
- Committee on Herbal Medicinal Products (HMPC) (2019). "Assessment report on *Mentha x piperita* L., folium and aetheroleum." *European Medicines Agency*; 522409.
- Ernst E. (2002). "The risk-benefit profile of commonly used herbal therapies: Ginkgo, St. John's Wort, Ginseng, Echinacea, Saw Palmetto, and Kava." *Annals of Internal Medicine*;136(1):42-53.
- Essam, M., El-Mowafy, M. (2014). "Efficacy of *Ganoderma* (*Ganoderma lucidum*) against Nephrotoxicity Induced by Cisplatin in Male Rats." *Egyptian Journal of Nutrition and Health*; 9:1-14.
- Gao, Q.H., Wu, C.S., Wang, M. (2013). "The jujube (*Ziziphus jujuba* Mill.) fruit: a review of current knowledge of fruit composition and health benefits." *Journal of Agricultural and Food Chemistry*;61(14):3351-3363.
- "*Glycyrrhiza glabra* Monograph." (2005). *Alternative Medicine Review*; 10(3). Retrieved from: <https://www.foundationalmedicinereview.com/wp-content/uploads/2019/02/v10-3-230.pdf>.
- Hajjaj, H., Macé, C., Roberts, M., Niederberger, P., Fay, L. B. (2005). "Effect of 26-oxygenosterols from *Ganoderma lucidum* and their activity as cholesterol synthesis inhibitors." *Applied and Environmental Microbiology*;71(7):3653-3658.
- Helms S. (2004). "Cancer prevention and therapeutics: *Panax ginseng*." *Alternative Medicine Review*. 9(3):259-274.
- Hong, S.I., Kwon, S.H., Kim, M.J., Ma, S.X., Kwon, J.W., Choi, S.M., Choi, S.I., Kim, S.Y., Lee, S.Y., Jang, C.G. (2012). "Anxiolytic-Like Effects of *Chrysanthemum indicum* Aqueous Extract in Mice: Possible Involvement of GABAA Receptors and 5-HT1A Receptors." *Biomolecules & Therapeutics*;20(4):413-417.
- Hsu, H-Y. (1996) "*Chrysanthemum*." *Oriental Materia Medica: a Concise Guide*. New Canaan, Conn. : Keats Pub; Long Beach, Calif: *Oriental Healing Arts Institute*; 70-71.
- Hsu, M.J., Lee, S.S., Lee, S.T., Lin, W.W. (2003). "Signaling mechanisms of enhanced neutrophil phagocytosis and chemotaxis by the polysaccharide purified from *Ganoderma lucidum*." *British Journal of Pharmacology*;139(2):289-298.
- Huang, K.C. (1993). *The Pharmacology of Chinese Herbs*; CRC Press, Inc., Boca Raton, FL.
- Huang, Q.C., Wang, M.J., Chen, X.M., Yu, W.L., Chu, Y.L., He, X.H., Huang, R.Y. (2016). "Can active components of licorice, glycyrrhizin and glycyrrhetic acid, lick rheumatoid arthritis?" *Oncotarget*; 7(2), 1193-1202.
- Hwang, E., Park, S.Y., Yin, C.S., Kim, H.T., Kim, Y.M., Yi, T.H. (2017). "Antiaging effects of the mixture of *Panax ginseng* and *Crataegus pinnatifida* in human dermal fibroblasts and healthy human skin." *Journal of Ginseng Research*;41(1):69-77.
- Jing, S., Zhang, X., Yan, L.-J. (2015). "Antioxidant Activity, Antitumor Effect, and Antiaging Property of Proanthocyanidins Extracted from Kunlun Chrysanthemum Flowers." *Oxidative Medicine and Cellular Longevity*;983484.10.1155.
- Karkanis, A., Martins, N., Petropoulos, S.A., Ferreira, I.C.F.R. (2016). "Phytochemical composition, health effects and crop management of liquorice (*Glycyrrhiza glabra* L.): A medicinal plant." *Food Reviews International*; 34(2).

- Lee, D.C., Yang, C.L., Chik, S.C., Li, J.C., Rong, J.H., Chan, G.C., Lau, A.S. (2009). "Bioactivity-guided identification and cell signaling technology to delineate the immunomodulatory effects of *Panax ginseng* on human promonocytic U937 cells." *Journal of Translational Medicine*;7(34).
- Lee, J.-H., Shim, J.S., Chung, M.-S., Lim, S.-T., Kim, K.H. (2009). "Inhibition of Pathogen Adhesion to Host Cells by Polysaccharides from *Panax ginseng*." *Bioscience, Biotechnology, and Biochemistry*, 73:1, 209-212.
- Lee, K.H., Morris-Natschke, S., Qian, K., Dong, Y., Yang, X., Zhou, T., Belding, E., Wu, S.F., Wada, K., Akiyama, T. (2012). "Recent Progress of Research on Herbal Products Used in Traditional Chinese Medicine: the Herbs belonging to The Divine Husbandman's Herbal Foundation Canon ( *Shén Nóng Běn Cǎo Jīng*)." *Journal of Traditional and Complementary Medicine*, 2(1), 6-26.
- Lin, Z.B., Zhang, H.N. (2004). "Anti-tumor and immunoregulatory activities of *Ganoderma lucidum* and its possible mechanisms." *Acta Pharmacologica Sinica*; 25(11):1387-1395.
- Lu, W.I., Lu, D.P. (2014). "Impact of Chinese herbal medicine on American society and health care system: perspective and concern." *Evidence-based Complementary and Alternative Medicine: eCAM*; 2014:251891.
- Mahajan, R., Chopda, M. (2009). "Phyto-Pharmacology of *Ziziphus jujuba* Mill- A plant review." *Pharmacognosy Reviews*; 3:320-329.
- "Monograph: Ginseng, *Panax*," (2018). Health Canada. Retrieved from <http://webprod.hc-sc.gc.ca/nhp/ndp-bdpsn/monoReq.do?id=146&lang=fra>
- Noguchi, M., Kakuma, T., Tomiyasu, K., Kurita, Y., Kukihara, H., Konishi, F., Kumamoto, S., Shimizu, K., Kondo, R., Matsuoka, K. (2008). "Effect of an extract of *Ganoderma lucidum* in men with lower urinary tract symptoms: a double-blind, placebo-controlled randomized and dose-ranging study." *Asian Journal of Andrology*; 10(4):651-658.
- Plastina, P. (2016). "Pharmacological Aspects of Jujubes." *Pharmacologia*; 7:243-255.
- "Radix Ginseng Monograph." (2012). *WHO Health Systems Library*. Retrieved from: <http://digicollection.org/hss/en/d/Js2200e/19.html>.
- Shah, P., Mello, P.D. (2004). A review of medicinal uses and pharmacological effects of *Mentha piperita*." *Natural Product Radiance*;3(4).
- Tsai, P.J., Chang, M.L., Hsin, C.M., Chuang, C.C., Chuang, L.T., Wu, W.H. (2017). "Antilipotoxicity Activity of *Osmanthus fragrans* and *Chrysanthemum morifolium* Flower Extracts in Hepatocytes and Renal Glomerular Mesangial Cells." *Mediators of Inflammation*;2017:4856095.
- Wachtel-Galor S., Yuen J., Buswell J.A., et al. (2011). "*Ganoderma lucidum* (Lingzhi or Reishi): A Medicinal Mushroom." In: Benzie, I.F.F., Wachtel-Galor, S., editors. *Herbal Medicine: Biomolecular and Clinical Aspects*. 2nd edition. Boca Raton (FL): CRC Press/Taylor & Francis; Chapter 9.
- Wang, F., Miao, M., Xia, H., Yang, L.G., Wang, S.K., Sun, G.J. (2016). "Antioxidant activities of aqueous extracts from 12 Chinese edible flowers *in vitro* and *in vivo*." *Food & Nutrition Research*;61(1):1265324.
- Wang, J., Cao, B., Zhao, H., Feng, J. (2017). "Emerging Roles of *Ganoderma lucidum* in Anti-Aging." *Aging and Disease*; 8(6):691-707.
- Xie, Y.Y., Yuan, D., Yang, J.Y., Wang, L.H., Wu, C.F. (2009). "Cytotoxic activity of flavonoids from the flowers of *Chrysanthemum morifolium* on human colon cancer Colon205 cells." *Journal of Asian Natural Products Research*; 11(9):771-778.
- Yang, L., Aobulikasimu-Nuerbiye, Cheng, P., Wang, J.H., Li, H. (2017). "Analysis of Floral Volatile Components and Antioxidant Activity of Different Varieties of *Chrysanthemum morifolium*." *Molecules (Basel, Switzerland)*;22(10):1790.

\*本文所刊載內容未經過美國食品藥物管理局之審定，本產品不作為診斷、治療、緩解或預防任何疾病之用途。

\*\*本信息是在遵守美國食品藥物管理局 (FDA) 發布的「聯邦食品、藥品和化妝品法案」中第403(r)(6)章節中的準則和規定的基礎上提供，並且僅供美國居民使用。我們北美丞燕始終致力於遵守產品標籤和檢測方面的所有管理規定-在美國，我們遵守FDA和FTC的規定；在加拿大，我們遵守加拿大衛生部的規定。我們目前在北美出售的產品及其成分，都已在美國和加拿大註冊。為滿足各個特定國家的規章和條例，不同國家的結構/功能聲明可能有所差異。因此，北美丞燕不對其他國家的聲明負責

