

「心醇」 抗炎症，維護心血管的健康，全面保健*

針對的人體系統：全面保健、循環系統、消化系統、呼吸系統、保持活力、骨肌系統、清理/排毒、適用於全素食者、神經系統*

這款獨特的產品是大自然饋贈給我們的禮物，它所提供的保健心臟的優異植物營養素，能滋養和強化我們的身體。這項全面保健的配方能輔助人體應對充滿挑戰的日常生活，比如：缺少運動，過度食用不健康的加工食品，巨大的壓力，休息和放鬆不足。「心醇」的植物性保健配方中含有山楂、藍莓、李子、冬瓜、白桑椹和菊花，它們有助於從多個方面維護和促進心血管的健康。這些保健性的成分協同合作，能維持血管功能的健康，幫助人體保持正常的消炎功能，並可能幫助維持膽固醇的水平。健康、方便又美味的「心醇」，含有巨量的植物成分，是繁忙生活中抵抗氧化應激，全面保健和養生的基礎營養品。



山楂



藍莓



李子



冬瓜



白桑椹



菊花



Supplement Facts

Serving Size: 1 Packet (12 g)
Servings per Container: 30

| | Amount Per Serving | % Daily Value** |
|---|--------------------|-----------------|
| Calories | 45 | |
| Total Fat | 0 g | 0% |
| Cholesterol | 0 g | 0% |
| Sodium | 10 mg | 0% |
| Total Carbohydrates | 9 g | 3% |
| Dietary Fiber | 3 g | 10% |
| Total Sugars | 2 g | |
| Includes 0 g Added Sugars | | 0% |
| Protein | 1 g | 2% |
| Cardiovascular Blend* | 11.5 g | |
| Hawthorn (<i>Crataegus pinnatifida</i>) Fruit | | † |
| Blueberry (<i>Vaccinium corymbosum</i>) Fruit | | † |
| Plum (<i>Prunus spp</i>) Fruit | | † |
| Winter Melon (<i>Benincasa hispida</i>) Fruit | | † |
| White Mulberry (<i>Morus alba</i>) Fruit | | † |
| Chrysanthemum (<i>Dendranthema x grandiflorum</i>) Flower | | † |

** Percent Daily Values are based on a 2,000 calorie diet.

† Daily Value not established.

Other Ingredients: Maltodextrin, Natural Orange Flavor, Natural Vanilla Flavor with other natural flavors, stevia, silica.

30包 - 每包12克重 | 貨號：610021

主要功效：

1. 有助於維護心血管功能*
2. 全面保健和養生*
3. 有助於維護人體的消炎功能*
4. 可幫助將膽固醇水平維持在正常的範圍*
5. 可幫助減輕氧化應激反應，抵抗自由基*





「心醇」 抗炎症，維護心血管的健康，全面保健*

產品成分的科學依據



山楂(*Crataegus pinnatifida*)是一種中小型樹種，它生長著嬌嫩的鮮紅色漿果，果實大小近似於藍莓或海棠果。這種水果因具有促進健康和維護心血管的特性，所以在中國和歐洲的傳統本草療法中被長期使用。科研人員已對山楂的成分、生物活性化合物和健康效益進行了廣泛的研究。自2015年以來，已有200多份關於山楂的研究報告被發表，經證實，山楂的藥理性能包括抗氧化、抗炎症的作用，同時亦能減少平滑肌細胞的遷移和增生。換言之，這種小巧的水果擁有很多促進健康的特性。*



生長在小灌木上的**藍莓**(*Vaccinium corymbosum*)，在北美地區廣受喜愛。藍莓之所以呈現出獨特的藍色，是因為它含一種名為花青素的類黃酮，而花青素具有抗氧化的作用。眾所周知，藍莓是一種能維護骨骼、皮膚、消化道、心理健康和全面保健的超級食品。*



李子(*Prunus spp*)在全球各地已被種植了數千年。李子經常被製成乾果或榨成汁，然後用在菜餚和甜點中為其添加甜味。李子通便的作用亦廣為人知。因此「心醇」中的李子不僅能使其味道更加豐富、甜美，同時還能維護心血管系統，強化骨骼，養護肝臟和消化道。



冬瓜(*Benincasa hispida*)，又名wax gourd、ash gourd和 Chinese watermelon。原產於南亞的冬瓜，大小如西瓜，味道溫和近似黃瓜。當生長在藤蔓上的冬瓜成熟時，其毛茸茸的外皮會附上灰白色的粉末和蠟質。中國和印度的菜餚中常常會用到冬瓜，幾個世紀來，冬瓜在傳統中醫和傳統阿育吠陀草藥中均受到重用，它可用來助消化，可利尿、消炎，甚至可當作壯陽藥。*



白桑(*Morus alba*)是一種其根、葉、樹皮和果實均被世界各地的傳統草藥療法入藥的樹木。白桑原產於中國，但已在許多國家得到了廣泛種植。在白桑椹成熟時，其味道如甘露似蜜汁，極其甜美可口。桑椹的顏色可從白色到淡紫色，深淺不一。成熟的桑椹保質期只有三到五天，所以您很難在當地的超市裡看到新鮮的桑椹。目前已知，這種獨特的水果中含有花青素、綠原酸、蘆丁和楊梅黃酮，這些成分有助於維護心血管系統，控制血糖，以及常規的保健。*



菊花(*Dendranthema x grandiflorum*)是一種常見於花園和花盆中的多瓣花卉，它們不僅可用來觀賞，同時也可用來食用。幾個世紀來，乾製的菊花花蕾一直被用於中草藥茶飲，菊花茶可用來消炎、撫慰消化系統，維護呼吸系統和循環系統，以及鎮定安神。*



「心醇」 抗炎症，維護心血管的健康，全面保健*



問與答

問 為什麼我應該食用「心醇」？

答 適用於全素食者的全面保健產品「心醇」，適合與所有的丞燕產品搭配使用，所以它可成為您繁忙生活中的一項基礎保健飲品。心、肝、肺及所有的重要器官，都是全天候支撐人體運轉的關鍵要素。當整個身體和諧地運作時，身體就能保持精密的平衡，進而保障免疫系統的健康。因而，「心醇」是一款具有全面保健效益的優異產品，它可跟所有丞燕產品搭配：

滋養並強化您的身體，使之發揮其與生俱來的作用。*



消化系統*



免疫系統*



保持活力*



清理/排毒*



神經系統*



促進健康&全面保健*



呼吸系統*



骨肌系統*



循環系統*



體重控制*



特色產品*



€ E. EXCEL SIGNATURE PRODUCT



「心醇」 抗炎症，維護心血管的健康，全面保健*



參考資料

Ahmed, T., Sadiq, H., Batool, S., Janjua, A., Shuja, F. (2010). "Use of prunes as a control of hypertension." *Journal of Ayub Medical College, Abbottabad: JAMC*;22(1):28-31.

Al-Snafi, A.E. (2013). "The Pharmacological Importance of *Benincasa hispida*. A review." *International Journal of Pharma Sciences and Research*;4(12):165-170.

Al-Snafi, A.E. (2015). "Therapeutic Properties of Medicinal Plants: A Review of Their Detoxification Capacity and Protective Effects (Part 1)." *Asian Journal of Pharmaceutical Science & Technology*; 5(4):257-270.

Basu, A., Rhone, M., Lyons, T.J. (2010). "Berries: emerging impact on cardiovascular health." *Nutrition Reviews*; 68(3):168-177.

Basu, P., Maier, C. (2016). "In vitro Antioxidant Activities and Polyphenol Contents of Seven Commercially Available Fruits." *Pharmacognosy Research*; 8(4):258-264.

Bell, D., Rowland, L.J., Smagula, J., Drummond, F. (2009). "TB203: Recent Advances in the Biology and Genetics of Lowbush Blueberry." *Maine Agricultural and Forest Experiment Station the University of Maine*:1-28.

Bensky, D., Clavey, S., Stöger, E. (2004). *Chinese Herbal Medicine: Materia Medica*. Seattle, WA: Eastland Press.

Butt, M.S., Nazir, A., Sultan, M.T., Schroën, K. (2008). "*Morus alba* L. Nature's Functional Tonic." *Trends in Food Science & Technology*; 19(10):505-512.

Chen, Jau-Fei, PhD. (2004). *Enjoying Health & Longevity with Nutritional Immunology*. (2015). *Nutrition. Immunity. Longevity*. (2000). *Nutritional Immunology*.

Dhiman, K., Gupta, A., Sharma, D.K., Gill, N.S., Goyal, A. (2011). "A Review on the Medicinally Important Plants of the Family Cucurbitaceae." *Asian Journal of Clinical Nutrition*;4(1):16-26.

Fatariah, Z., Tg, T.Y., Zulkhairuazha, Wan Rosli, W.I. (2014). "Quantitative HPLC Analysis of Gallic Acid in *Benincasa hispida* Prepared with Different Extraction Techniques." *Sains Malaysiana*;43(8):1181-1187.

Ghosh, D., Konishi, T. (2007). "Anthocyanins and anthocyanin-rich extracts: role in diabetes and eye function." *Asia Pacific Journal of Clinical Nutrition*;16(2):200-208.

Hidalgo, G.I., Almajano, M.P. (2017). "Red Fruits: Extraction of Antioxidants, Phenolic Content, and Radical Scavenging Determination: A Review." *Antioxidants (Basel, Switzerland)*;6(1):7.

Hong, S.I., Kwon, S.H., Kim, M.J., Ma, S.X., Kwon, J.W., Choi, S.M., Choi, S.I., Kim, S.Y., Lee, S.Y., Jang, C.G. (2012). "Anxiolytic-Like Effects of *Chrysanthemum indicum* Aqueous Extract in Mice: Possible Involvement of GABAA Receptors and 5-HT1A Receptors." *Biomolecules & Therapeutics*;20(4):413-417.

Hsu, H-Y. (1996) "*Chrysanthemum*" *Oriental Materia Medica : a Concise Guide*. New Canaan, Conn. : Keats Pub; Long Beach, Calif: Oriental Healing Arts Institute; 70-71.

Huang, H.Y., Huang, J.J., Tso, T.K., Tsai, Y.C., Chang, C.K. (2004). "Antioxidant and angiotensin-converting enzyme inhibition capacities of various parts of *Benincasa hispida* (wax gourd)." *Die Nahrung*;48(3):230-233.

Huang, K.C. (1993). *The Pharmacology of Chinese Herbs*; CRC Press, Inc., Boca Raton, FL. 113-115.

Igwe, E.O., Charlton, K.E. (2016). "A Systematic Review on the Health Effects of Plums (*Prunus domestica* and *Prunus salicina*). *Phytotherapy Research: PTR*;30(5):701-731.

Jabeen, Q., Aslam, N., Akram, A., Iqbal, Z. (2012). "Evaluation of prunes for hypotensive, angiotensin converting enzyme (ACE) inhibitory and diuretic activities in rats." *Journal of Medicinal Plants Research*; 6:1361-1366.

Jing, S., Zhang, X., Yan, L.-J. (2015). "Antioxidant Activity, Antitumor Effect, and Antiaging Property of Proanthocyanidins Extracted from Kunlun Chrysanthemum Flowers." *Oxidative Medicine and Cellular Longevity*;983484.10.1155.

Kalt, W., Cassidy, A., Howard, L.R., Krikorian, R., Stull, A.J., Tremblay, F., Zamora-Ros, R. (2020). "Recent Research on the Health Benefits of Blueberries and Their Anthocyanins." *Advances in Nutrition*;11(2): 224-236.

Kim J.S. (2018). "Antioxidant Activities of Selected Berries and Their Free, Esterified, and Insoluble-Bound Phenolic Acid Contents." *Preventive Nutrition and Food Science*;23(1):35-45.

Kimura, Y., Ito, H., Kawaji, M., Ikami, T., Hatano, T. (2008). "Characterization and antioxidative properties of oligomeric proanthocyanidin from prunes, dried fruit of *Prunus domestica* L." *Bioscience, Biotechnology, and Biochemistry*;72(6):1615-1618.

Kumar, D., Arya, V., Bhat, Z., Khan, N., Prasad, D. (2012). "The genus *Crataegus* (Rosaceae): chemical and pharmacological perspectives." *Revista Brasileira de Farmacognosia*;22:1187-1200.

Leonov, A., Arlia-Ciommo, A., Piano, A., Svistkova, V., Lutchnan, V., Medkour, Y., Titorenko, V.I. (2015). "Longevity extension by phytochemicals." *Molecules (Basel, Switzerland)*;20(4):6544-6572.

Li, J., Ruzhi Deng, Hua, X., Zhang, L., Lu, F., Coursey, T. G., Pflugfelder, S. C., Li, D. Q. (2016). "Blueberry Component Pterostilbene Protects Corneal Epithelial Cells from Inflammation via Anti-oxidative Pathway." *Scientific Reports*; 6:19408.

Li, T.S.C. (2002). *Chinese and Related North American Herbs: Phyto-pharmacology and Therapeutic Values*. CRC Press, Boca Raton, FL.

Ma, H., Johnson, S. L., Liu, W., DaSilva, N. A., Meschwitz, S., Dain, J. A., & Seeram, N. P. (2018). "Evaluation of Polyphenol Anthocyanin - Enriched Extracts of Blackberry, Black Raspberry, Blueberry, Cranberry, Red Raspberry, and Strawberry for Free Radical Scavenging, Reactive Carbonyl Species Trapping, Anti-Glycation, Anti- Amyloid Aggregation, and Microglial Neuroprotective Effects." *International Journal of Molecular Sciences*; 19(2): 461.

Mehta, M., Soni, N., Satpathy, G., Gupta, R.K. (2014). "Evaluation of nutritional, phytochemical, antioxidant and antibacterial activity of dried plum (*Prunus domestica*)." *Journal of Pharmacognosy and Phytochemistry*;3(2):166-171.

Nadhiya, K., Vijayalakshmi, K., Women, B. (2014). "Evaluation of Total Phenol, Flavonoid Contents and In vitro Antioxidant Activity of *Benincasa hispida* Fruit Extracts." *International Journal of Pharmaceutical, Chemical and Biological Sciences*;4(2):332-338.

Nishina, A., Kimura, H., Tsukagoshi, H., Kozawa, K., Koketsu, M., Ninomiya, M., Furukawa, S. (2013). "Neurite Outgrowth in PC12 Cells Stimulated by Components from *Dendranthema x grandiflorum* cv. 'Mottenhoka' Is Enhanced by Suppressing Phosphorylation of p38MAPK." *Evidence-Based Complementary and Alternative Medicine*; (2):403503.

Olas B. (2018). "Berry Phenolic Antioxidants - Implications for Human Health?" *Frontiers in Pharmacology*; 9:78.

Shih, C.-C., Lin, C.-H., Lin, Y.-J., Wu, J. (2013). "Validation of the Antidiabetic and Hypolipidemic Effects of Hawthorn by Assessment of Gluconeogenesis and Lipogenesis Related Genes and AMP-Activated Protein Kinase Phosphorylation." *Evidence-Based Complementary and Alternative Medicine: eCAM*: 597067:1-12.

Skrowankova, S., Sumczynski, D., Mlcek, J., Jurikova, T., Sochor, J. (2015). "Bioactive Compounds and Antioxidant Activity in Different Types of Berries." *International Journal of Molecular Sciences*;16(10):24673-24706.

Stoner, G.D., Wang, L.S., Casto, B.C. (2008). "Laboratory and clinical studies of cancer chemoprevention by antioxidants in berries." *Carcinogenesis*; 29(9):1665-1674.

Tsai, P.J., Chang, M.L., Hsin, C.M., Chuang, C.C., Chuang, L.T., Wu, W.H. (2017). "Antilipotoxicity of *Osmanthus fragrans* and *Chrysanthemum morifolium* Flower Extracts in Hepatocytes and Renal Glomerular Mesangial Cells." *Mediators of Inflammation*; 2017:4856095.

Wu, J., Peng, W., Qin, R., Zhou, H. (2014). "*Crataegus pinnatifida*: chemical constituents, pharmacology, and potential applications." *Molecules (Basel, Switzerland)*;19(2):1685-1712.

Xie, Y.Y., Yuan, D., Yang, J.Y., Wang, L.H., Wu, C.F. (2009). "Cytotoxic activity of flavonoids from the flowers of *Chrysanthemum morifolium* on human colon cancer Colon205 cells." *Journal of Asian Natural Products Research*;11(9):771-778.

Yang, L., Aobuliksimu-Nuerbiye, Cheng, P., Wang, J.H., Li, H. (2017). "Analysis of Floral Volatile Components and Antioxidant Activity of Different Varieties of *Chrysanthemum morifolium*." *Molecules (Basel, Switzerland)*;22(10):1790.

Yoo, J. H., Liu, Y., Kim, H. S. (2016). "Hawthorn Fruit Extract Elevates Expression of Nrf2/HO-1 and Improves Lipid Profiles in Ovariectomized Rats." *Nutrients*;8(5):283.

*本文所刊載內容未經美國食品藥物管理局之審定，本產品不作為診斷、治療、緩解或預防任何疾病之用途。

**本信息是在遵守美國食品藥物管理局（FDA）發布的「聯邦食品、藥品和化妝品法案」中第403(r)(6)章節中的準則和規定的基礎上提供，並且僅供美國巫燕使用。我們北美巫燕始終致力於遵守產品標籤和檢測方面的所有管理規定-在美國，我們遵守FDA和 FTC的規定；在加拿大，我們遵守加拿大衛生部的規定。我們目前在北美出售的產品及其成分，都已在美國和加拿大註冊。為滿足各個特定國家的規章和條例，不同國家的結構/功能聲明可能有所差異。因此，北美巫燕不對其他國家的聲明負責。

